

# **Carbon Accounting Report 2021**

## Skagen AS

This report provides an overview of SKAGEN's greenhouse gas (GHG) emissions, which is an integrated part of the organisation's climate strategy. Carbon accounting is a fundamental tool in identifying tangible measures to reduce GHG emissions. The annual carbon accounting report enables SKAGEN to benchmark performance indicators and evaluate progress over time.

This report comprises the following organisational units: The main office in Stavanger, Norway, as well as Oslo, Bergen, Trondheim, Ålesund, Stockholm, Copenhagen and Frankfurt. SKAGEN's London based staff has been on home office for the duration of 2021.

The input data is based on consumption data from internal and external sources, which are converted into tonnes  $CO_2$ -equivalents ( $tCO_2$ e). The carbon footprint analysis is based on the international standard; *A Corporate Accounting and Reporting Standard*, developed by the Greenhouse Gas Protocol Initiative (GHG Protocol). The GHG Protocol is the most widely used and recognised international standard for measuring greenhouse gas emissions and is the basis for the ISO standard 14064-I.



# Reporting Year Energy and GHG Emissions

Electricity total  Electricity Nordic mix  Electricity Sweden  Electricity Germany  Electricity Denmark 125  District heating location total  District heating NO/Oslo  District heating SE/Stockholm  District cooling SE/Stockholm  District theating NO/Trondheim  District theating NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic  Hotel nights, Europe	215,747.0 1,927.0 1,591.0 26,954.0 26,714.0 1,750.8	kWh kWh kWh	(MWh) 246.2 215.7 1.9 1.6	tCO <sub>2</sub> e 10.6 6.7	<b>27.4 %</b> 17.2 % 0.1 %
Electricity Nordic mix  Electricity Sweden  Electricity Germany  Electricity Denmark 125  District heating location total  District heating NO/Oslo  District heating SE/Stockholm  District cooling SE/Stockholm  District cooling NO/Trondheim  District teating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	1,927.0 1,591.0 26,954.0 26,714.0	kWh kWh	215.7		17.2 %
Electricity Sweden Electricity Germany Electricity Denmark 125  District heating location total  District heating NO/Oslo  District heating SE/Stockholm  District cooling SE/Stockholm  District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	1,927.0 1,591.0 26,954.0 26,714.0	kWh kWh	1.9	6.7	
Electricity Germany  Electricity Denmark 125  District heating location total  District heating NO/Oslo  District heating SE/Stockholm  District cooling SE/Stockholm  District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	1,591.0 26,954.0 26,714.0	kWh		-	0.1.0/
Electricity Denmark 125  District heating location total  District heating NO/Oslo  District heating SE/Stockholm  District cooling SE/Stockholm  District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	26,954.0		1.6		U.I 70
District heating location total  District heating NO/Oslo  District heating SE/Stockholm  District cooling SE/Stockholm  District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	26,714.0	kWh		0.6	1.4 %
District heating NO/Oslo  District heating SE/Stockholm  District cooling SE/Stockholm  District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic			27.0	3.4	8.7 %
District heating SE/Stockholm  District cooling SE/Stockholm  District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic			42.8	0.5	1.3 %
District cooling SE/Stockholm  District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	1 750 0	kWh	26.7	0.2	0.6 %
District heating NO/Trondheim  District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	1,/50.6	kWh	1.8	0.1	0.2 %
District cooling NO/Trondheim  District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	564.5	kWh	0.6	-	-
District heating NO/Aalesund  Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	9,374.0	kWh	9.4	0.2	0.4 %
Scope 2 total  Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	2,199.0	kWh	2.2	-	-
Business travel total  Continental/Nordic  Continental/Nordic, incl. RF  Hotel nights, Nordic	2,213.0	kWh	2.2	-	-
Continental/Nordic Continental/Nordic, incl. RF Hotel nights, Nordic			289.0	11.1	28.7 %
Continental/Nordic Continental/Nordic, incl. RF Hotel nights, Nordic					
Continental/Nordic, incl. RF  Hotel nights, Nordic	.=		-	24.8	63.9 %
Hotel nights, Nordic	17,544.0	pkm	-	1.4	3.7 %
<del></del>	14,936.0	pkm	-	2.3	5.9 %
Hotel nights, Europe	72.0	nights	-	1.2	3.0 %
	3.0	nights	-	0.1	0.2 %
Mileage all. car (DK)	1,346.0	km	-	0.2	0.5 %
Train (NO)	241.0	pkm	-	-	-
Domestic, RF	76,400.0	pkm	-	18.8	48.4 %
Mileage all. car (NO)	8,887.0	km	-	0.9	2.2 %
Waste total			-	2.8	7.3 %
Plastic waste, recycled	990.9	kg	-	-	0.1 %
EE waste, recycled	79.0	kg	-	-	-
Glass waste, recycled	261.9	kg	-	-	-
Metal waste, recycled	190.3	kg	-	-	-
Hazardous waste, recycled	2.8	kg	-	-	-
Organic waste, recycled	471.0	kg	-	-	-
Paper waste, recycled	5,505.7	kg	-	0.1	0.3 %
Residual waste, recycled	781.2	kg	-	-	
Residual waste, incinerated	5,244.6	kg	-	2.6	6.8 %
Industrial waste, recycled	13.0	kg	-	-	-
Cardboard waste, recycled	34.6	kg	-	-	-
Wood waste, recycled	1,258.0	kg	-	-	0.1 %
Purchased goods and services total			-	0.1	0.2 %
Water supply, municipal	439.6	m <sup>3</sup>	-	0.1	0.2 %
Scope 3 total				27.7	71.3 %
Total					
КЈ			289.0	38.8	100.0 %



### Reporting Year Market-Based GHG Emissions

Category	Unit	2021
Electricity market-based	tCO <sub>2</sub> e	23.5
Scope 2 market-based	tCO <sub>2</sub> e	24.0
Total market-based	tCO <sub>2</sub> e	51.7

#### Disclaimer:

The data on residual waste and electricity in the offices in Copenhagen and Frankfurt is based on the average consumption/usage per square meter for the Norwegian and Swedish offices. This is due to the non-existence of reporting data from the building owners of the offices.

When the data of a certain emission point indicates a "-" it means that the emission is less than one tonne.

From 2020 SKAGEN has reduced the total office space due to the termination of the Dutch office and UK based employees working from home.

This report comprises only the Co2 emissions from SKAGEN's direct business operations, and not the emissions from portfolio holdings. In the future, as a company under the Storebrand group, the group commitment to "Net Zero 2050" will also include SKAGEN.




## Annual GHG Emissions

Category Description	2019	2020	2021	% change from
Electricity total	25.5	14.9	10.6	previous year -28.6 %
Electricity Nordic mix	11.0	8.1	6.7	-17.9 %
Electricity Denmark 125	8.4	3.7	3.4	-8.4 %
Electricity Sweden	-	-	-	192.5 %
Electricity UK	1.8	0.8		-100.0 %
Electricity Netherlands	3.2	1.7	_	-100.0 %
Electricity Germany	1,1	0.6	0.6	-3.3 %
District heating location total	1.5	0.5	0.5	-1.1 %
District heating NO/Bergen	0.5	-	_	-
District heating NO/Trondheim	0.5	0.1	0.2	23.4 %
District heating SE/Stockholm	0.1	0.1	0.1	-14.7 %
District cooling SE/Stockholm	-	-	-	-
District heating NO/Oslo	0.4	0.3	0.2	-6.2 %
District heating NO/Aalesund		-	-	-73.9 %
District cooling NO/Trondheim	-	-	_	100.0 %
Scope 2 total	27.0	15.4	11.1	-27.7 %
	2/10			
Business travel total	173.6	34.0	24.8	-27.2 %
Continental/Nordic, incl. RF	56.9	8.9	2.3	-74.2 %
Intercontinental, RF	43.9	7.4		-100.0 %
Domestic, RF	64.1	14.2	18.8	32.2 %
Hotel nights, Nordic	2.0	0.6	1.2	80.0 %
Hotel nights, Europe	0.7	0.2	0.1	-70.3 %
Hotel nights, world	0.1	-	-	-100.0 %
Mileage all. car (NO)	2.7	1.0	0.9	-9.4 %
Mileage all. el car Nordic	<u> </u>	-	-	-100.0 %
Mileage all. car (DK)	-	0.5	0.2	-60.0 %
Mileage all. avg. car	3.2	1.2	-	-100.0 %
Continental/Nordic			1.4	100.0 %
Train (NO)	-	-		100.0 %
Waste total	2.7	3.0	2.8	-6.1 %
Paper waste, recycled		0.2	0.1	-29.9 %
Glass waste, recycled	_	-	-	23.1 %
Organic waste, recycled				45.0 %
Metal waste, recycled				-32.6 %
EE waste, recycled	_	_	-	-49.5 %
Plastic waste, recycled	_	-		-19.5 %
Residual waste, incinerated	2.6	2.8	2.6	-6.2 %
Hazardous waste, recycled	-	2.0	2.0	100.0 %
Residual waste, recycled		-	-	100.0 %
Industrial waste, recycled				100.0 %
Cardboard waste, recycled		-		100.0 %
Wood waste, recycled	-			100.0 %
Purchased goods and services total	0.6	0.2	0.1	-63.0 %
Water supply, municipal	0.6	0.2	0.1	-63.0 %
Scope 3 total	176.9	37.2	27.7	-25.7 %
Total	203.9	52.6	38.8	-26.3 %
Total -	205.9	52.6	38.8	-20.3 %



Percentage change 100.0 % -74.2 % -26.3 %



### Annual Market-Based GHG Emissions

Category	Unit	2019	2020	2021
Electricity market-based	tCO <sub>2</sub> e	53.8	28.3	23.5
Scope 2 market-based	tCO <sub>2</sub> e	55.2	28.8	24.0
Total market-based	tCO <sub>2</sub> e	232.1	66.1	51.7
Percentage change		100.0 %	-71.5 %	-21.7 %



# Annual Key Energy and Climate Performance Indicators

Name	Unit	2019	2020	2021	% change from
					previous year
Total emissions (s1+s2+s3) (tCO2e)		203.9	52.6	38.8	-26.3 %
tCO2e/FTE		2.3	0.6	0.5	-27.1 %
tCO2e/m2		0.1	-	-	-24.1 %



## Methodology and sources

The Greenhouse Gas Protocol initiative (GHG Protocol) was developed by the World Resources Institute (WRI) and World Business Council for Sustainable Development (WBCSD). This analysis is done according to *A Corporate Accounting and Reporting Standard Revised edition*, currently one of four GHG Protocol accounting standards on calculating and reporting GHG emissions. The reporting considers the following greenhouse gases, all converted into CO<sub>2</sub>-equivalents: CO<sub>2</sub>, CH<sub>4</sub> (methane), N<sub>2</sub>O (laughing gas), SF<sub>6</sub>, HFCs, PFCs and NF3.

For corporate reporting, two distinct approaches can be used to consolidate GHG emissions: the equity share approach and the control approach. The most common consolidation approach is the control approach, which can be defined in either financial or operational terms.

The carbon inventory is divided into three main scopes of direct and indirect emissions.

Scope 1 includes all direct emission sources. This includes all use of fossil fuels for stationary combustion or transportation, in owned and, depending on the consolidation approach selected, leased, or rented assets. It also includes any process emissions, from e.g. chemical processes, industrial gases, direct methane emissions etc.

Scope 2 includes indirect emissions related to purchased energy; electricity and heating/cooling where the organisation has operational control. The electricity emission factors used in Cemasys are based on national gross electricity production mixes from the International Energy Agency's statistics (IEA Stat). Emission factors per fuel type are based on assumptions in the IEA methodological framework. Factors for district heating/cooling are either based on actual (local) production mixes, or average IEA statistics.

In January 2015, the GHG Protocol published new guidelines for calculating emissions from electricity consumption. Primarily two methods are used to "allocate" the GHG emissions created by electricity generation to the end consumers of a given grid. These are the location-based and the market-based methods. The location-based method reflects the average emission intensity of the grids on which energy consumption occurs, while the market-based method reflects emissions from electricity that companies have purposefully chosen (or not chosen).

Organisations who report on their GHG emissions will now have to disclose both the location-based emissions from the production of electricity, and the marked-based emissions related to the potential purchase of Guarantees of Origin (GoOs) and Renewable Energy Certificates (RECs).

The purpose of this amendment in the reporting methodology is on the one hand to show the impact of energy efficiency measures, and on the other hand to display how the acquisition of GoOs or RECs affect the GHG emissions. Using both methods in the emission reporting highlights the effect of all measures regarding electricity consumption.

<u>The location-based method</u>: The location-based method is based on statistical emissions information and electricity output aggregated and averaged within a defined geographic boundary and during a defined time period. Within this boundary, the different energy producers utilize a mix of energy resources, where the use of fossil fuels (coal, oil, and gas) result in direct GHG-emissions. These emissions are reflected in the location-based emission factor.

The market-based method: The choice of emission factors when using this method is determined by whether the business acquires GoOs/RECs or not. When selling GoOs or RECs, the supplier certifies that the electricity is produced exclusively by renewable sources, which has an emission factor of 0 grams CO<sub>2</sub>e per kWh. However, for electricity without the GoO or REC, the emission factor is based on the remaining electricity production after all GoOs and RECs for renewable energy are sold. This is called a residual mix, which is normally substantially higher than the location-based factor. As an example, the market-based Norwegian residual mix factor is approximately 7 times higher than the location-based Nordic mix factor. The reason for this high factor is due to Norway's large export of GoOs/RECs to foreign consumers. In a



market perspective, this implies that Norwegian hydropower is largely substituted with an electricity mix including fossil fuels.

Scope 3 includes indirect emissions resulting from value chain activities. The scope 3 emissions are a result of the company's upstream and downstream activities, which are not controlled by the company, i.e. they are indirect. Examples are business travel, goods transportation, waste handling, consumption of products etc.

In general, the carbon accounting should include information that users, both internal and external to the company, need for their decision making. An important aspect of relevance is the selection of an appropriate inventory boundary which reflects the substance and economic reality of the company's business relationships.